

# SURE-FIRE BOMB DEFUSAL MANUAL $^{\text{TM}}$



English 1.4

Them Bombs! Sure-Fire Defusal Manual

English 1.4

### **IMPORTANT!**

This manual is only suitable for the PC, Mac, Linux, Android Phone (single-touch), iPhone, Nintendo Switch and Apple TV versions of *Them Bombs!* For multi-touch platforms (Android Tablet and iPad) please download the appropriate manual from *www.thembombs.com/manual*.

### Intro

A crazy scientist called Dr. TiNT plants deadly bombs in various public spaces. Each time, minutes before the explosion, a random person within the blast radius receives a message from him. Only this person - the **Unlikely Hero** - can defuse the bomb... given they get the right help.

### Game rules

One of the players is the **Unlikely Hero** who tries to defuse the bomb (within the *Them Bombs!* game). The other players become the **Expert Team** and they have access to this manual. The Experts cannot see what the Hero sees on the screen and the Hero cannot see the contents of the manual.

Players can use verbal communication only, as if the Expert Team and the Hero were talking through a radio.

The keys to success are cold-blooded, **efficient communication** and... **careful reading** of the manual.

Good luck!

### Dr. TiNT - modus operandi

Only one thing is known for sure, Dr. TiNT is a mad man... He seems to enjoy all hell breaking loose.

Dr. TiNT's devices share a common design. There is a small bomb with an initiating explosive, connected to a large container with the main charge. Where he gets his explosives is unknown. How he transports the bombs is also a mystery.

Some things are certain though... Try to move the container - the bomb will explode! Try to detach the initiating bomb - the bomb will explode! Try to remove the timer battery - the bomb will explode! Try to remove the initiating explosive - the bomb will explode! These lessons were learned the hard way by many Unlikely Heroes.

The only proven method so far seems to be the deactivation of the bomb's security modules. The modules seem to be elements of Dr. TiNT's sick game...

Typically, Dr. TiNT warns one of the potential victims with an untraceable text message. He also leaves some basic necessary tools behind (electric screwdriver, pliers, flashlight, etc.), as if he wanted the Unlikely Hero to succeed and avoid tragedy.

Analysis of previous incidents suggests that Dr. TiNT does not target random people - indeed, his chosen Unlikely Heroes are always uncommonly brave...

### Dr. TiNT's bomb defusal - fundamentals

To disarm a bomb, you need to deactivate all of the bomb's security modules. The instructions for disarming all known types of modules can be found on the following pages of this manual.

First, remove the cover of the bomb - unscrew the screws (not to worry, the cover is not an armed element).



### Module: Three blinking buttons

**OVERVIEW:** A one-letter display and a row of 3 colorful blinking buttons.

**TO DISARM:** Press each of the buttons at the moment they blink with the right color.

The correct set of colors is determined by: 1. the letter showing on the display (the letter changes periodically!) 2. the time left until the detonation.

Find the correct combination of the lights' colors in the table below.

**HOW TO READ THE TABLE:** The three letters divided by vertical lines correspond to the colors of the three buttons. The appearing colors are:

Y - yellow R - red B - blue

EXAMPLE: Y|R|B - press each of the buttons at the moment they blink: yellow, red, and blue (starting from the left).

		displayed letter					
time until detonation	A	В	С	D	Ε	F	G
240 s < time	Y B R	Y R Y	R   R   R	B Y B	B B B	R   Y   R	Y Y Y
120 s < time ≤ 240 s	B Y B	B R B	B B Y	Y Y R	R B Y	R Y Y	Y B R
60 s < time ≤ 120 s	Y Y Y	B   B   B	R Y Y	Y B R	B B Y	B R B	Y Y R
time ≤ 60 s	R   R   R	B B Y	R   Y   R	R B Y	B R B	Y R Y	R   R   R

(240 s = 4 minutes, 120 s = 2 minutes, 60 s = 1 minute)

- For the first two buttons, you can make mistakes when pressing the right color (just press them again to continue the sequence). When pressing the third button however, you need to be right or there will be unpleasant consequences.
- Does it seem like a very hard task? Try to memorize the number of colors appearing between black and the color you want to press.



### Module: 15 tiles and a light

**OVERVIEW:** 15 tiles, a blinking light, and an "OK" button.

**TO DISARM:** Press and light up the correct tiles, then press OK.

The blinking light is transmitting the signal of a letter or a number using the Morse Code - **see Appendix III**. Press the tiles to recreate the shape of this letter/number.

POSSIBLE COMBINATIONS OF THE TILES:



### Module: 5-letter code

**OVERVIEW:** A plate with a number sequence, 5-letter display (the letters can be changed using the top and bottom arrows) and an "OK" button.



**TO DISARM:** Input the correct 5-letter code and press OK.

Starting from the left, add

consecutive digits. When you get to an even digit, stop adding (but add the even digit as well). Find the result in the table below.

the

Repeat this process for the remaining digits.

Example:

1112 sums up to 5, which corresponds to letter A 1112330 becomes 5 and 6, corresponding to letters A and B

Α -	5	J -	17	S -	2
В –	6	К –	21	Τ –	7
С –	27	Լ –	8	U –	25
D -	12	М –	14	V -	15
E –	0	N –	10	W -	16
F –	11	0 -	3	Х –	19
G -	26	P -	22	Y -	20
Н –	13	Q –	18	Z -	24
I -	4	R –	9		

- There are exactly 5 even numbers in the number sequence.
- "Zero" is also an even number!

# Module: Pizza

**OVERVIEW:** 8 triangles. Some of the triangles light up in a random sequence.

**TO DISARM:** Press all the correct triangles. The answer input window will always last around 3-6 seconds, counting from the first pressed triangle.

#### TRIANGLES TO PRESS:

- If the bomb's cover was mounted with 4 screws, press only the triangles that lit up\*.
- If the bomb's cover was mounted with 6 screws, press only the triangles that did not light up\*.

\*See exceptions below.

#### **EXCEPTIONS:**

- If the timer battery has a lithium manganese dioxide cell (see Appendix I), do not press the north triangle.
- If there is an opposite terminals battery holder (see Appendix I), do not press the south triangle.
- If the timer serial number includes at least one even number, do not press the east triangle.
- If the timer serial number digits include even numbers only, do not press the west triangle.

- Zero is also an even number.
- Press the triangles and wait until your combination is accepted or rejected, which will happen within 3 to 6 seconds.
- If, according to the above instructions no triangles should be pressed, press a random triangle twice.



# Module: Electric locks

**OVERVIEW:** 5 locks made up of paired blue and red connect plates. There are also 5 aperture doors and a button (power switch).



#### TO DISARM:

Open the correct locks and pass current through the module. One by one, for each of the locks, perform the following:

1. Carefully open a lock (by dragging the blue or the red plate) so that the aperture door below the lock opens.

2. Find the symbol in one of the lists on the next page. 3a. If the symbol indicates that the lock must be open (*break symbol*), place an insulator between the lock's plates (press the circle between the plates) and move on to the next lock.

**3b.** If the symbol indicates that the lock must be closed (*pass symbol*), close the lock back and move on to the next lock.

Lastly, switch the power on by pressing the power switch. If the correct locks are open and closed, the module will be disarmed.

- Be careful not to cause a short circuit! It happens when you spread a lock's plates too far.
- Be sure to closely look at the symbols they can be misleading...
- If you make a mistake, you can remove an insulator by pressing it again.

BREAK SYMBOLS - LOCK MUST BE OPEN, PLACE AN INSULATOR:



PASS SYMBOLS - THE LOCK MUST BE CLOSED:



# Module: 4 rotating rings

**OVERVIEW:** 4 rotating rings. Each of the rings is marked with an arrow indicating the ring's orientation.

**TO DISARM:** Press each of the rings to stop them so that they are orientated towards the correct cardinal direction, which are:

Ν	-	north	W	-	west
S	_	south	E	_	east



The direction points are marked on the outside border of the rings.

**HOW TO READ DIRECTION POINTS:** Check the crucial elements of the bomb: the timer battery, the timer serial number and the bomb's cover. Then, find the correct cardinal directions in the table below.

ring	correct direction points
1 (the biggest ring)	<pre>Check the timer battery voltage in Appendix I:     if total voltage is greater than 9 V - point N     if total voltage is 8 V - point S     if total voltage is 2.6 V - point W     all other cases - point E</pre>
2	<pre>Check the timer serial number (next to the timer):     if the first letter is Y - point N     if the first letter is T - point S     if the first letter is A - point W     all other cases - point E</pre>
3	<pre>Check the type of timer battery cell in Appendix I:     if the cell is silver-oxide - point N     if the cell is lithium manganese dioxide - point S     if the cell is zinc manganese dioxide - point W     all other cases - point E</pre>
4 (the smallest ring)	<pre>The bomb's cover (removed at the beginning) was:     green - point N     red - point S     blue - point W     all other cases - point E</pre>

- If you make a mistake don't worry, just press the ring again to restart it.
- The arrow on the ring will light up yellow when the ring is stopped at one of the cardinal points.

# Module: Trap

**OVERVIEW:** One big button with an inviting text (e.g. *Click me!*, *Press here!*, *Click to defuse!* etc.).

NOTE! Under no circumstance should you press this button carelessly! It is a trap - the bomb will explode that very moment.



**TO DISARM:** Always disarm this module as the last. Once all other security modules are disarmed, press **and hold** the button for at least 3 seconds... and then release.

TIPS FOR THE "STILL-ALIVE BOMB DEFUSER": Be careful! There is no room for error!

### Module: Wires

**OVERVIEW:** 3 to 6 color-coded wires mounted vertically. Each wire is connected to a contact plate marked "+" and "-".



**TO DISARM:** Press the right contact plates ("+" and "-") and then cut the correct wires.

Check the type of initiating explosive used in this bomb - **see** Appendix II.

If the initiating explosive is:  $C-4,\ Semtex$  or TNT, refer to table A.

If the initiating explosive is: **Dynamite**, **improvised explosive** or **other**, refer to table B.

#### **TABLE A** (C-4, Semtex, TNT)

- If there are 3 wires and all of them are the same color, *PRESS* [+] of the wire on the left and [-] of the wire on the right. *CUT* the middle wire.

- If there are 3 or 4 wires and exactly two of them are blue, *PRESS* [+] of the blue wire on the right and [-] of the blue wire on the left. *CUT* all the wires.

- If there are 3 or 4 wires and exactly two of them are yellow, *PRESS* [+] of both yellow wires and [-] of the wire between the yellow wires. CUT the yellow wires only.

- If there are 5 wires and exactly three of them are the same color, *PRESS* [+] of the first wire on the right and [-] of the first wire on the left. *CUT* all the wires.

- If there are 5 wires and exactly two of them are red, *PRESS* [+] of both red wires and [-] of the first wire on the right. *CUT* all the wires except for the red ones.

- If there are 5 wires and exactly two of them are green, *PRESS* [+] of both green wires and [-] of the first wire on the left. CUT all wires.

TABLE B (Dynamite, improvised explosive, other)

- If there are 3 wires and all of them are the same color, PRESS [+] of the wire on the right and [-] of the wire on the left. CUT the middle wire.

- If there are 3 or 4 wires and exactly two of them are blue, *PRESS* [+] of the blue wire on the left and [-] of the blue wire on the right. *CUT* all wires.

- If there are 3 or 4 wires and exactly two of them are yellow, *PRESS* [-] of both yellow wires and [+] of the wire between the yellow wires. *CUT* the yellow wires only.

If there are 5 wires and exactly three of them are the same color, *PRESS* [+] of the first wire on the left and [-] of the first wire on the right. *CUT* all wires.
If there are 5 wires and exactly two of them are red, *PRESS* [+] of both red wires and [-] of the first wire on the left. *CUT* all the wires except for the red ones.
If there are 5 wires and exactly two of them are green, *PRESS* [-] of both green wires and [+] of the first wire on the left. *CUT* all wires.

- The wires can only be colored red, blue, green, pink, yellow or brown.
- Cutting the wrong wire can lead to an immediate explosion or can drastically shorten the countdown time!
- To avoid a time penalty, make sure the correct contact plates (and **only** the correct plates!) are pressed before cutting any wire.

### Module: Triple safe

**OVERVIEW:** 12 round color-coded buttons, a roll up door with a letter from the Greek alphabet, and the name of a famous scientist.

**TO DISARM:** Open each of the two consecutive safe doors and input the correct 4-digit code.

A. THE FIRST SAFE DOOR: Press the correct combination of the color-coded buttons.

The combination is determined by:

1. the Greek letter visible on the door,

2. the name of the scientist.

You will find the possible combinations in the below table. You can press any of the buttons as long as their number and colors are correct.

		Greek letter on the door						
scientist	α	β	γ	δ	ε	ζ	η	θ
Albert Einstein 1879-1955	1Y 2G 1R	2Y 2G	1G 3R	3Y 1R	4G	4R	4Y	1Y 1G 2R
Isaac Newton 1643-1727	4G	4R	2Y 2R	1G 3R	2G 2R	1Y 2G 1R	3Y 1G	3Y 1R
Marie Curie 1867-1934	2Y 2G	1Y 3R	2Y 1G 1R	1Y 3G	3Y 1R	2G 2R	4R	3G 1R
Louis Pasteur 1822-1895	2Y 2R	1Y 2G 1R	4R	3Y 1G	1G 3R	2Y 1G 1R	2Y 2G	4Y
Nikola Tesla 1856-1943	2G 2R	2Y 1G 1R	3Y 1R	4Y	1Y 3G	1Y 1G 2R	3G 1R	4G
Thomas Edison 1847-1931	4R	4Y	4G	1Y 3R	2Y 2G	3G 1R	2Y 2R	1G 3R
Blaise Pascal 1623-1662	1G 3R	2G 2R	1Y 1G 2R	2Y 2R	3Y 1G	1Y 3R	1Y 1G 2R	1Y 3G
Galileo Galilei 1564-1642	3Y 1G	2Y 2G	1Y 3G	4G	2Y 1G 1R	3Y 1R	1Y 2G 1R	1Y 3R

Y -yellow G - green R - red

EXAMPLE: With a 1Y 2G 1R combination, press the following buttons: 1 yellow button, 2 green buttons and 1 red one.



**B. THE SECOND SAFE DOOR:** Press three of the six square buttons with Greek letters on them. The correct combination is determined by:

1. the color of the second door (the door below the six square buttons),

2. the set of available Greek letters.

Only one of the possible combinations below will match the combination in the bomb module.

doon colon		possible letter combinations										
	com	binat	tion	com	binat	tion	com	binat	ion	com	binat	ion
blue	α	δ	ζ	γ	ε	х	β	η	ψ	π	μ	θ
grey	Q	δ	х	α	η	ζ	l	z	λ	ψ	ν	μ
violet	τ	ξ	β	η	l	ν	δ	λ	υ	9	ω	ε
brown	σ	γ	κ	θ	ζ	π	β	0	υ	ω	μ	α
orange	l	ν	0	λ	γ	σ	χ	ε	π	ψ	9	θ

**C. 4-DIGIT CODE:** Use the arrows to change the digits. The correct code is the year of the scientist's death.

### Module: Musical symbols

**OVERVIEW:** 5 boxes with musical symbols and a piece of paper with Morse code on it. The symbols can be changed using the top and bottom arrows.



**TO DISARM:** Set each of the boxes to the correct musical symbol.

Convert the Morse code over each of the

boxes into a letter or a number - **see Appendix III**. Next, find this letter or number below and set the corresponding symbol in the box.

The module will be disarmed 3 seconds after you set the correct symbols in all five boxes.



### Module: 24 Dots

**OVERVIEW:** 24 dots, a one-letter display and 4 color-coded round plates.

**TO DISARM:** Using the right color, light up 9 dots according to the diagram below. **Starting from the question mark,** follow the arrows to the successive pattern boxes. The letter on the display indicates:

- 1. the arrow to follow to find the correct pattern box,
- 2. the color to use to light up the dots (refer to the table)



- To color a dot, first press a color plate and then press the dot you want to light up.
- You can change the color by overwriting it with another. To remove
   D H green
   a color completely, press a dot with no color plates active. If it is not possible to change the color of a dot, it means that this color has already been verified as correct.

letter	color
A E	blue
ΒF	yellow
CG	red
DH	green



# Module: Three knobs

**OVERVIEW:** 3 knobs marked as A, B and C, a one-letter display and an "OK" button.

**TO DISARM:** Set each of the knobs to the correct value and press OK.



Knob A - rotate the knob and observe at which values a sound signal is played and at which values the letter display shows 'X'.

KNOB A			
values with sound signal	values at which letter 'X' appears	the correct value of the knob A	
2	5	1	
2	3	2	
2	6	3	
4	8	4	
4	7	5	
6	0	6	
6	1	7	
7	3	8	
7	6	9	
7	1	0	
1	3	1	
1	7	2	
1	9	3	
3	1	4	
3	5	5	
5	8	6	
5	2	7	
8	4	8	
8	0	9	
9	7	0	

Knob B - rotate the knob and observe at which values the letter display shows 'X' and at which - 'Z'.

KNOB B				
values at which letter 'X' appears	values at which letter 'Z' appears	the correct value of the knob B		
0	9	7		
0	8	1		
0	4	9		
1	3	0		
1	2	0		
1	6	8		
2	1	5		
2	3	3		
2	8	8		
3	5	1		
3	4	6		
3	0	1		
4	3	5		

4	2	5
4	5	1
5	7	1
5	6	4
5	9	1
6	5	4
6	8	1
6	1	4
7	1	8
7	4	1
7	3	0
8	4	6
8	2	8
8	7	9
9	0	5
9	7	5
9	5	3

Knob C - set knobs A and B to correct values, then look at the timer and check the last two digits (seconds value).

KNOB C				
sum of the values of knobs A and B	last two digits on the timer (seconds value)	the correct value of the knob C		
is an even number	0-15 seconds	1		
is an even number	16-30 seconds	2		
is an even number	31-45 seconds	3		
is an even number	46-59 seconds	4		
is an odd number	0-15 seconds	5		
is an odd number	16-30 seconds	6		
is an odd number	31-45 seconds	7		
is an odd number	46-59 seconds	8		

- You can "take your time" with setting the A and B knobs. With knob C however, do it as quickly as possible and press "OK".
- Set the right combination but the module is still armed? Make sure the dials are set **precisely** at the correct values.

# Appendix I - Types of batteries

Knowing which timer battery type the bomb uses is very important when defusing several of the security modules. The timer battery is usually placed next to the timer.

Pictorial view	Battery parameters
- + +	TYPE: 6LR61 VOLTAGE: 9.0 V CELL: zinc manganese dioxide HOLDER: 1 piece
- + +	TYPE: 6LS05 VOLTAGE: 9.2 V CELL: zinc manganese dioxide HOLDER: 1 piece
+ + + +	TYPE: CR61 VOLTAGE: 2 × 1.3 V CELL: lithium manganese dioxide HOLDER: 2-piece, same-side terminals
- 4 + + 4	TYPE: CR61 VOLTAGE: 2 × 1.3 V CELL: lithium manganese dioxide HOLDER: 2-piece, opposite terminals
+ + + + +	TYPE: 2SF11 VOLTAGE: 4 × 2.0 V CELL: silver-oxide HOLDER: 4-piece, opposite terminals
+ + + + + + + + + + + + + + + + + + + +	TYPE: 2SF11 VOLTAGE: 4 × 2.0 V CELL: silver-oxide HOLDER: 4-piece, same-side terminals

# Appendix II - Types of initiating explosives

Dr. TiNT uses relatively small initiating explosives placed inside the bomb case. The initiating explosive detonates the main charge.

The most common initiating explosives are:

Name	Characteristics		
C-4	MAIN COMPONENT: RDX CHEMICAL FORMULA: C <sub>3</sub> H <sub>6</sub> N <sub>6</sub> O <sub>6</sub> COMPOUND CLASS: aliphatic R.E. FACTOR: 1.6* DETONATION VELOCITY: 8750 m/s		
Semtex	MAIN COMPONENT: PETN CHEMICAL FORMULA: C <sub>5</sub> H <sub>8</sub> N <sub>4</sub> O <sub>12</sub> COMPOUND CLASS: aliphatic R.E. FACTOR: 1.66* DETONATION VELOCITY: 8400 m/s		
Dynamite	MAIN COMPONENT: nitroglycerin CHEMICAL FORMULA: C <sub>3</sub> H <sub>5</sub> N <sub>3</sub> O <sub>6</sub> COMPOUND CLASS: aliphatic R.E. FACTOR: 1.5* DETONATION VELOCITY: 7700 m/s		
TNT	MAIN COMPONENT: trinitrotoluene CHEMICAL FORMULA: C7H5N3O6 COMPOUND CLASS: aromatic R.E. FACTOR: 1.0* DETONATION VELOCITY: 6900 m/s		
Improvised explosive MAIN COMPONENT: TATP CHEMICAL FORMULA: C9H18O6 COMPOUND CLASS: aliphatic R.E. FACTOR: 0.83* DETONATION VELOCITY: 5300 m/s			

\* in relation to 1 kg of TNT

# Appendix III - The Morse alphabet

Many of the bomb's security modules are based on Morse code. A dot refers to a short light (or sound) signal. A dash refers to a long signal. The long signal is three times longer than the short signal.

А	•-	Μ		Y	-•
В	-•••	Ν	_•	Ζ	••
С	-•-•	0		1	•
D	-••	Ρ	••	2	••
Е	•	Q	•-	3	•••
F	••-•	R	•-•	4	••••-
G	•	S	•••	5	••••
Н	••••	Т	_	6	-•••
I	••	U	••-	7	•••
J	•	V	•••-	8	•
К	-•-	W	•	9	•
L	•-••	Х	-••-	0	